

SC-461C



FEATURES

- Solution distribution from brush centre
- Constant weight
- Auto adjustable weight system
- Brush replacement without tools
- Squeegee blade can be used on 4 side before replacement
- Anti foam system
- Scrubber Driers can be used on concrete floor, mosaic floor.

AUTO SCRUBBER DRIER

Model	Power (W)	RPM	Solution / Recovery tank	Scrubbing width	Squeegee Width	Cleaning Rate	Brush Pressure	Cable Length	Weight (Kg.)
SC-461C	1000 / 900	282	35 / 45 Ltr	510 mm	755 mm	1750 Sqm/h	38 Kgs	18Mtr	110

LOKPAL INDUSTRIES

A-6, Sector-3, Noida-201301,(U.P), India | Tel.: +91-120-4846801/02
Website : WWW.lokpal.com | Email: info@lokpal.com

SC-2AC



FEATURES

- Solution distribution from brush centre
- Constant weight
- Auto adjustable weight system
- Brush replacement without tools
- Squeegee blade can be used on 4 side before replacement
- Anti foam system
- Scrubber Driers can be used on concrete floor, mosaic floor.

AUTO SCRUBBER DRIER

Model	Power (W)	RPM	Solution / Recovery tank	Scrubbing width	Squeegee Width	Cleaning Rate	Brush Pressure	Cable Length	Weight (Kg.)
SC 2AC	1000 / 750	148	27.8 / 31.3 Ltr`	455 mm	755 mm	1660 Sqm/h	30 Kgs	18 Mtr	75.6

LOKPAL INDUSTRIES

A-6, Sector-3, Noida-201301,(U.P), India | Tel.: +91-120-4846801/02
Website : WWW.lokpal.com | Email: info@lokpal.com

RIDE-ON SCRUBBER DRIER

Comfort XS75



FEATURES

- Solution distribution from brush centre
- Constant weight
- Auto adjustable weight system
- Brush replacement without tools
- Squeegee blade can be used on 4 side before replacement
- Anti foam system
- Scrubber Driers can be used on concrete floor, mosaic floor.

RIDE-ON SCRUBBER DRIER

Model	Power	Scrubbing/ Squeegee width	Working capacity	Detergent Tank Cap.	Recovery. Tank Cap.	Traction motor	Brush RPM	Brush Power	Vacuum Depression	Weight	Dimensions LxBxH
	Volts	mm/mm	sq.m/hr	lit	Lit	Watts	rpm	Watts	mmH2O/Watts	Kgs	cms
SCL Comfort XS 75	24 V	750/900	3750	110 L	130 L	600 W	150	1000	1734/480W	168	146x81x138

LOKPAL INDUSTRIES

A-6, Sector-3, Noida-201301,(U.P), India | Tel.: +91-120-4846801/02
Website : WWW.lokpal.com | Email: info@lokpal.com

RIDE-ON SCRUBBER DRIER

Comfort XXS66



FEATURES

- Solution distribution from brush centre
- Constant weight
- Auto adjustable weight system
- Brush replacement without tools
- Squeegee blade can be used on 4 side before replacement
- Anti foam system
- Scrubber Driers can be used on concrete floor, mosaic floor.

RIDE-ON SCRUBBER DRIER

Model	Power	Scrubbing/ Squeegee width	Working capacity	Detergent Tank Cap.	Recovery. Tank Cap.	Traction motor	Brush RPM	Brush Power	Vacuum Depression	Weight	Dimensions LxBxH
	Volts	mm/mm	sq.m/hr	lit	Lit	Watts	rpm	Watts	mmH2O/Watts	Kgs	cms
SCL Comfort XXS 66	24 V	660/855	3250	75 L	75 L	400 W	150	2 X 400	1700/400W	160	123x62x121

LOKPAL INDUSTRIES

A-6, Sector-3, Noida-201301,(U.P), India | Tel.: +91-120-4846801/02
Website : WWW.lokpal.com | Email: info@lokpal.com