





HAND PALLET TRUCK 2500 Kg

- ▣ Rubber coated handle
- ▣ Fully powdered coated body
- ▣ Hard chrome plated piston
- ▣ Single piece pump
- ▣ Large diameter polyurethane steering wheels



Options:- The following options are available for AC series Pallet Truck



Specifications:



Model	Capacity	Fork Span	Fork Length	Min. Fork Height	Max. Fork Height
		(W)	(L)	(H1)	(H2)
	Kg	mm	mm	mm	mm
AC 25 (540)	2500	540	1150	85	200
AC 25 (685)	2500	685	1220	85	200
DF 25 (450)	2500	450	1150	85	200

LOKPAL INDUSTRIES

A-6, Sector-3, Noida-201301, U.P., India | Tel.: +91-120-3065372 / 75

Website: www.lokpal.com | E-mail: info@lokpal.com

HAND PALLET TRUCK 2000 Kg



Note : All dimensions are in 'mm' unless otherwise stated.

Specifications:

Modle	Capacity	Fork Span	Fork Length	Min. Fork Height	Max. Fork Height
	Kg	(W) mm	(L) mm	(H1) mm	(H2) mm
DFE-550-900	2000	550	900	75	190
DFE-550-1150	2000	550	1150	75	190
DFE-550-1220	2000	685	1220	75	190

LOKPAL INDUSTRIES

A-6, Sector-3, Noida-201301, U.P., India | Tel.: +91-120-3065372 / 75

Website: www.lokpal.com | E-mail: info@lokpal.com

HAND PALLET TRUCK 3000 Kg



Features

Rubber coated handle.
Fully Powdered coated body.
Hard chrome plated piston.
Single piece pump.
Large diameter polyurethane steering wheel.
Tandem polyurethane load rollers.
Export Model / CE Stamped.

Specifications:



Model	Capacity	Fork Span	Fork Length	Min. Fork Height	Max. Fork Height
		(W)	(L)	(H1)	(H2)
	Kg	mm	mm	mm	mm
HP30S	3000	540	1150	85	205
HP30L	3000	680	1220	85	205

LOKPAL INDUSTRIES

A-6, Sector-3, Noida-201301, U.P., India | Tel.: +91-120-3065372 / 75

Website: www.lokpal.com | E-mail: info@lokpal.com

HAND PALLET TRUCK 5 TON



Features

- Rubber coated handle.
- Fully Powdered coated body.
- Hard chrome plated piston.
- Single piece pump.
- Large diameter polyurethane steering wheel.
- Tandem polyurethane load rollers.
- Export Model / CE Stamped.

Specifications:

Model	Capacity	Fork Span	Fork Length	Min. Fork Height	Max. Fork Height
		(W)	(L)	(H1)	(H2)
Model No.	Kg	mm	mm	mm	mm
HP 50S	5000	580	1150	90	200

LOKPAL INDUSTRIES

A-6, Sector-3, Noida-201301, U.P., India | Tel.: +91-120-3065372 / 75

Website: www.lokpal.com | E-mail: info@lokpal.com

4 WAY PALLET TRUCK



Specifications:

Model		AC-Two-540	AC-Two-685
Capacity	Kg	2500 / 1500	2500 / 1500
Min. Fork Height	mm	85	85
Max. Fork Height	mm	85-170-210	85-170-210
Steering Wheel	mm	φ200x50	φ200x50
Load Roller	mm	φ78x70	φ78x70
Load Roller (Traverse)	mm	φ65x60	φ65x60
Size of Fork	mm	160x50	160x50
Fork Span	mm	540	685
Fork Length	mm	1150	1220

* 1500 Kg capacity for traverse movement

** 170 mm Lift for traverse movement

LOKPAL INDUSTRIES

A-6, Sector-3, Noida-201301, U.P., India | Tel.: +91-120-3065372 / 75

Website: www.lokpal.com | E-mail: info@lokpal.com

LOW PROFILE PALLET TRUCK



AC-LOW

- Fully sealed one piece hydraulic unit for complete corrosion protection and clean pump interior.
- Unique Compact Single cartridge valve (2 in 1 valve) for easy maintenance, instead of the standard two separate pressure valve and release valve.
- Large diameter heavy duty polyurethane steering wheels, rollers to protect floors, have a long life and silent movement.
- Adjustable Push Rod to Compensate for uneven wheel wear.
- Epoxy Powder coated body.
- Grease nipple at key point.

Specifications:

Model		AC-LOW(540)	AC-LOW (685)
Capacity	Kg	2000	2000
Min. Fork height	mm	51	51
Max. Fork height	mm	165	165
Steering Wheel	mm	φ180x50	φ180x50
Load Roller (Tandem)	mm	φ50x70	φ50x70
Fork Size	mm	160x37	160x37
Fork Span	mm	540	685
Fork Length	mm	1150	1220

LOKPAL INDUSTRIES

A-6, Sector-3, Noida-201301, U.P., India | Tel.: +91-120-3065372 / 75

Website: www.lokpal.com | E-mail: info@lokpal.com

SUPER LOW PALLET TRUCK



Specifications:

Model		HPM-10S
Capacity	Kg	1000
Fork Span	mm	540
Fork length	mm	1150
Min. Fork Height	mm	36
Max. Fork Height	mm	90

LOKPAL INDUSTRIES

A-6, Sector-3, Noida-201301, U.P., India | Tel.: +91-120-3065372 / 75

Website: www.lokpal.com | E-mail: info@lokpal.com

FULL STAINLESS STEEL PALLET TRUCK



Specifications:

Model		PTZ-5500S(540)	PTZ-5500S(685)
Capacity	Kg	2000	2000
Fork Span	mm	540	685
Fork Length	mm	1150	1220
Min. Fork Height	mm	85	85
Max, Fork Height	mm	200	200

LOKPAL INDUSTRIES

A-6, Sector-3, Noida-201301, U.P., India | Tel.: +91-120-3065372 / 75

Website: www.lokpal.com | E-mail: info@lokpal.com

GALVANIZED PALLET TRUCK

ACZ20H



Specifications:

Model		ACZ20H
Capacity	Kg	2000
Min. Fork height	mm	85
Max. Fork height	mm	200
Steering Wheel	mm	φ200x50
Load Roller(Tandem)	mm	φ82x70
Fork Width / Height	mm	160x50
Fork Span	mm	540
Fork Length	mm	1150

LOKPAL INDUSTRIES

A-6, Sector-3, Noida-201301, U.P., India | Tel.: +91-120-3065372 / 75

Website: www.lokpal.com | E-mail: info@lokpal.com

ROLL PALLET TRUCK




RPT -860
RPT -1000
RPT -1030



AC20R700
AC20R1500

These trucks are suitable for handling paper, textile, polymer, carpets and other rolls upto 2000 kgs.



Specifications:


MODEL	Capacity	Fork Length	Fork Span	Overall Dimension	Min Roll Dia	Max Roll Dia	Max Roll Length
	(Kg)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
RPT-860	2000	1150	860	1550x860x1225	500	800	1350
RPT-1000	2000	1350	1000	1750x1000x1225	700	1200	1600
RPT-1030	2000	1500	1030	1900x1030x1225	800	1400	1800
AC20R700	2000	1220	860	1620x860x1225	600	800	1420
AC20R1500	2000	1220	1150	1620x1150x1225	1200	1600	1420

LOKPAL INDUSTRIES

A-6, Sector-3, Noida-201301, U.P., India | Tel.: +91-120-3065372 / 75

Website: www.lokpal.com | E-mail: info@lokpal.com

WARP BEAM PALLET TRUCK



Features

Ease to transport large and awkward size beams through tight spaces.

LOKPAL INDUSTRIES

A-6, Sector-3, Noida-201301, U.P., India | Tel.: +91-120-3065372 / 75

Website: www.lokpal.com | E-mail: info@lokpal.com


HIGH LIFT PALLET TRUCK

**Telescopic
Cylinder
Design**

HL-680M



HLPT-10-540
HLPT-10-680
HLPT-15-540
HLPT-15-680



SPB-1000E

Specifications:


		Fork	Fork	Min.	Max.
Model	Capacity	Span	Length	Fork	Fork
				Height	Height
	Kg	mm	mm	mm	mm
High Lift Pallet Truck					
HLPT-10-540	1000	540	1150	90	850
HLPT-10-680	1000	680	1150	90	850
HLPT-15-540	1500	540	1150	90	850
HLPT-15-680	1500	680	1150	90	850
High Lift Pallet Truck (Telescopic Cylinder)					
HL-680M	1000	680	1165	85	800
Electric High Lift Pallet Truck					
SPB -1000E	1000	540	1150	85	800

Two robust size stabilizers automatically come in contact with the ground when the forks reach a height of 240mm.

After this the steering wheels are raised off the ground and the truck is then immobile, giving good stability. The truck can only be moved at lift heights below 240mm



Front support legs




Side stabilizers

LOKPAL INDUSTRIES

A-6, Sector-3, Noida-201301, U.P., India | Tel.: +91-120-3065372 / 75

Website: www.lokpal.com | E-mail: info@lokpal.com

ELECTRIC HIGH LIFT PALLET TRUCK



Specifications:

Model	SPE-1000E
Capacity	1000Kg
Fork Span	550mm
Fork Length	1150mm
Min. Fork Height	85mm
Max. Fork Height	800mm
Battery	12V

LOKPAL INDUSTRIES

A-6, Sector-3, Noida-201301, U.P., India | Tel.: +91-120-3065372 / 75

Website: www.lokpal.com | E-mail: info@lokpal.com

SPECIAL SIZE PALLET TRUCK



Specifications:

Fork Span:	mm	450
	mm	800
	mm	1000
Fork Length:	mm	1150
	mm	1500
	mm	1800
	mm	2000

LOKPAL INDUSTRIES

A-6, Sector-3, Noida-201301, U.P., India | Tel.: +91-120-3065372 / 75

Website: www.lokpal.com | E-mail: info@lokpal.com

SCALE PALLET TRUCK



Specifications:

Model	PTD-2500ES
Capacity	2000Kg
Fork Span	550mm
Fork Length	1150mm
Min. Fork Height	85mm
Max. Fork Height	200mm
Accuracy	±1Kg

LOKPAL INDUSTRIES

A-6, Sector-3, Noida-201301, U.P., India | Tel.: +91-120-3065372 / 75

Website: www.lokpal.com | E-mail: info@lokpal.com

FULL ELECTRIC PALLET TRUCK



Specifications:

Model	VH-WPS-130(630)
Capacity	1200Kg
Fork Span	630mm
Fork Length	1150mm
Min. Fork Height	80mm
Max. Fork Height	200mm
Drive Wheels	250mm
Turning Radius	1250mm
Pump Motor	1.30Kw
Battery	DC 24V/15A

LOKPAL INDUSTRIES

A-6, Sector-3, Noida-201301, U.P., India | Tel.: +91-120-3065372 / 75

Website: www.lokpal.com | E-mail: info@lokpal.com

SEMI ELECTRIC PALLET TRUCK



Compact Semi Battery Operated Pallet Trucks. Lifting is manual and movement is through battery. Easily maneuverable.

Top quality hydraulic pump with Hard chrome plated piston.

Epoxy powder coated finish which is resistant to chips and normal corrosion.

Tandem Load Rollers arrangement .

Specifications:

Model	CBD10A
Capacity	1000Kg
Fork length	1150mm
Fork width	550mm
Min. Fork Height	205mm
Battery	24v
Turning Radius	1624mm

LOKPAL INDUSTRIES

A-6, Sector-3, Noida-201301, U.P., India | Tel.: +91-120-3065372 / 75

Website: www.lokpal.com | E-mail: info@lokpal.com

ROUGH TERRAIN PALLET TRUCK



Specifications:

Model	Capacity	Fork Span	Fork Length	Min. Fork Height	Max. Fork Height	Overall Size
	Kg	mm	mm	mm	mm	mm
RTPT 1000	1000	200-700	860	<60	260±10	1410x620x1300

LOKPAL INDUSTRIES

A-6, Sector-3, Noida-201301, U.P., India | Tel.: +91-120-3065372 / 75

Website: www.lokpal.com | E-mail: info@lokpal.com

PALLET TILTER



HULK Pallet Tilters are remarkably flexible and are specially designed to give the user an ergonomically correct position for filling or emptying crates or boxes.

Specifications:

Model	Capacity	Max. Fork Height	Min. Fork Height	Fork Length	Load Centre	Fork Span	Overall Size L x W x H
	Kg	mm	mm	mm	mm	mm	mm
LT10	1000	285	85	800	200	560	1325x640x750

LOKPAL INDUSTRIES

A-6, Sector-3, Noida-201301, U.P., India | Tel.: +91-120-3065372 / 75

Website: www.lokpal.com | E-mail: info@lokpal.com

MECHANICAL LIFTER



Specifications:

Model	Cap.	Fork	Fork	Min. Fork	Max. Fork
		Span	Length	Height	Height
Model No.	Kg	mm	mm	mm	mm
Mx0608	300	420	800	85	145
Mx0610	300	420	1100	85	145
MR200	200	220	580	95	120

LOKPAL INDUSTRIES

A-6, Sector-3, Noida-201301, U.P., India | Tel.: +91-120-3065372 / 75

Website: www.lokpal.com | E-mail: info@lokpal.com